



104-00400 - 90° PIPE TO TUBE ELBOW FITTING, ANODIZE ALUMINUM ALLOY

Description

104-00400 - 90° PIPE TO TUBE ELBOW FITTING, ANODIZE ALUMINUM ALLOY

New, Sold Per Each

Type: 90° Pipe to Tube Elbow Fitting

An elbow fitting is a plumbing or piping component used to change the direction of flow within a system, typically at a 90-degree or 45-degree angle. It provides flexibility and efficiency in routing pipes or tubes in constrained spaces.

Material: Aluminum Alloy

Surface: Anodize

Connection Style: Flared (Tube) 1St End

Connection Style: Plain (Pipe) 2Nd End

Connection Type: Threaded External Pipe 2Nd End

Connection Type: Threaded External Tube 1St End

Diameter (Outer): 0.250" 1St End

Flow Angle: 90.0°

Leg Length: 0.781" (Nominal) 2Nd End

Leg Length: 0.891" (Nominal) 1St End

Seat Angle: 37.0° 1St End

Thread Series Designator: Anpt 2Nd End

Thread Series Designator: Unjf 1St End

Thread Size (Nominal): 0.125" 2Nd End

Thread Size (Nominal): 0.438" 1St End

Threads Per Inch (Tpi): 20 1St End

NSN: 4730-00-186-9961

Minimized: 10400400

Possible Alternatives: Aeronautical Standards Group: AN822-4D, Aeronautical Standards Group: AN822-4DX, Air Corps Standards: 811CT4D, Curtiss-Wright Controls Inc.: 104D19, Dana Corp.: 105-00842, Dana Corp.: 2008926, Dana Corp.: 7400X4, Dana Corp.: MS20822-4D, Davey Compressor Co.: 206651, Delco Electronics Corp.: 8599666-003, Eads Socata: Z00.N7730061663, Goodrich Corporation: 10177, Jaidinger Mfg. Co. Inc.: 4994-4D, Kidde-Fenwal Inc.: 17309, Kidde-Fenwal Inc.: 206651, Kidde-Fenwal Inc.: 24794, Military Specifications: MILF5509, Military Standards: MS20822-40, Military Standards: MS20822-4D, Muesco Inc.: 10165-3, Naval Air Warfare Center Aircraft: 213695-4D, Parker-Hannifin Corporation: 104-00400, Picatinny Arsenal: 8791283, Piper Aircraft Inc.: 458 894, Pratt and Whitney Canada Inc.: 82205, Raytheon Company: 272-1028P14, Raytheon Technical Services Company: 272-1028P14, SAE International: AS4842/1, SAE International: AS5195W0402, SAE International: SAE-AS4842/1, Satair A/S: 82205, Society of Automotive Engineers Inc.: AS4842/1, Society of Automotive Engineers Inc.: AS5195W0402, Stewart-Warner Corporation: 472644, Surface Combustion Inc.: 10-25563, Surface Combustion Inc.: 36A58, U S Army Aviation and Missile: 8161749, United Technologies Corporation: 77756, United Technologies Corporation: 82205, Watts Automatic Control Valve Inc.: 10165-3
Note: Some part numbers may serve as functional alternatives to the original, offering similar specifications and performance; however, prior verification is recommended to ensure suitability for the intended application.

Potential Capabilities

This list is provided for informational purposes only and includes models that may be compatible based on preliminary data. As we continue to gather more information, the list will be updated. If you're unsure about compatibility, do not use this part on your aircraft without confirming compatibility through your repair manuals or other methods.

Aircraft:: PHANTOM F-4, STRATOFORTRESS B-52, STRATOLIFTER C/KC-135, HERCULES C-130, DELTA DART F-106, TOMCAT F-14, GALAXY C-5, VIKING S-3B, HAWKEYE E-2C, EAGLE F-15, AWACS, E-3A, F-16, HORNET F/A-18, HARRIER AV-8B, B-1B, HERCULES C-130F, HERCULES KC-130, ORION P-3, SOF (AC-130H, MC-130H, EC-130E, HC-130, MC-130W), C-2A (REPROCURED), T-2, FA-18, A - D, E/F, G (GROWLER)

Helicopters:: CHINOOK, CH-47, SEA KING H-3, SEA KNIGHT H-46, CH-53 D/E, RH-53, LAMPS MARK III, SH-60B, COBRA/ATTACK, AH-1J, UTILITY/SEARCH AND RECOVERY UH-1N, H1 (ALL VERSIONS), MH-53E, ADVANCE ATTACK, AH-1W, CARRIER BASED ASW, SH-60F, SEARCH AND RESCUE, HH-60H, USCG SEARCH AND RESCUE, HH-60J, SEAHAWK, H-60

Product Testing: Every product is inspected for accuracy, quality, and functionality before shipping to ensure it meets our high standards.

Alternate Part Numbers: With the transition from AN to MS and NAS part numbering systems, there are often multiple part numbers that meet the same specifications and performance standards. If only an alternate part number is available, we will contact you to confirm its compatibility with your application. We strongly recommend consulting the appropriate repair manuals to ensure accuracy before using an alternate part.

Model Compatibility: We are committed to providing accurate and up-to-date compatibility information for our parts. While the listed models reflect verified applications, this list is continually expanding. If your model isn't listed, it may still be compatible, and we encourage you to consult your repair manuals to verify the required part number before placing an order. Additionally, if you believe a model should be listed, please contact us so we can update our records accordingly.

New: These parts are classified as new and come with one or more of the following supporting documents: pick tickets, packing slips, or original labels from the manufacturer. They may also include certifications such as FAA 8130, ATA 106 forms, a Certificate of Conformance (CoC) from the manufacturer, ISC Certification, FAA 121 authorization, or JAA Form 1. These documents verify the authenticity and traceability of the parts, making them suitable for regulated industries where stringent documentation is required.

Sold Per Each: This item is sold individually, with the price listed for a single unit. Perfect for purchasing the exact quantity needed without the requirement to buy in bulk. For larger quantities, consider reviewing any available bulk pricing options.

Date

2025/04/19

Meta Fields

Regular Price : 49.95 **Stock :** 8